

NFRC Product Certification Authorization Report



Manufacturer: SourcePoint Doors and Windows LLC
Product Series: 87 Tilt and Turn Window
Simulation Lab: SFTL
Initial Cert. Date: 09/05/2024
Street: 4363 Northeast Expressway
Product Type: DATT
Sim. Report #: MED-2089a
Re-Certification Date:
City/State/Zip: Atlanta, Georgia
Air Leakage: ≤ 0.3
Sim. Report Date: 08/01/2024
Revised Date: 01/01/1970
Print Date: 10/06/2026
Test Date: 07/31/2024
Expiration Date: 07/31/2029

CPD Number: SUU-M-10					IA: National Accreditation And Management Institute										
Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res
	00001-00001	6mm XDTB0170-Arg-6mm XDTB0170-Arg-6mm Planibel Clear	AT/AT	3	0.059(2), 0.059(4)	0.354,0.354	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.24	0.21	0.31	64

Baseline Information

Test Lab	Test Date	Test Size	Tested U-Value	Standard U-Value	Test Report Number
TFTL	07/31/2024	1200mm x 1500mm	0.269	0.265	MED-2089b

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA
Signature: _____